

SHW-1-SB(3X)

**HIGH SHRINK RATIO, ADHESIVE LINED, FLEXIBLE.
POLYOLEFIN HEAT SHRINK TUBING**

Characteristics

- Operating temperature -45°C to +125°C
- Minimum shrink temperature 70°C
- Full recovery temperature 125°C
- Shrink Ratio 3:1
- Approvals: UL224, 125°C 600V VW-1 (except clear)
- Standard colours: Black, Clear, Red, Blue, Brown, Green, Grey, Yellow, White (Other colors are also available on request.)
- RoHS Compliant



Applications

Manufactured by co-extrusion of polyolefin and hot-melt adhesive. Designed to provide both insulation and sealing for protected articles. Used to protect auto wires, shipping cable, bundle wires and metal tubes against water and moisture. High expansion ratio makes it possible to repair most damaged cable jackets without removing connectors.

Technical Data-- Out Jacket Material

Property	Test Method	Typical Data
Tensile Strength	ASTM D 2671	$\geq 12.0\text{MPa}$
Ultimate Elongation	ASTM D 2671	$\geq 300\%$
Longitudinal Shrinkage	UL 224	$\pm 8\%$
Heat Aging Ultimate Elongation	158°C, 168hrs	$\geq 200\%$
Flammability	VW-1	Pass (out jacket only)
Dielectric Strength	IEC 243	$\geq 15\text{kV/mm}$
Volume Resistivity (ohm-cm)	UL224	$\geq 10^{14}\ \Omega\cdot\text{cm}$
Copper Stability	ASTM D 2671	Pass
Corrosion	UL224	No corrosion

Technical Data-- Adhesive

Property	Test Method	Standard Value
Water Absorption	ISO 62	<0.2%
Softening Point	ASTM D E28	95°C
Peel Strength (to PE)	ASTM D 1000	120N/25m
Peel Strength (to AL)	ASTM D 1000	80N/25m

Product Dimensions (inch/mm)

Size		As supplied	After recovery (mm)			Standard Package
Inch	mm	Internal Diameter Min. (mm)	Internal Diameter Max.	Total Wall Thickness	Wall Thickness of Adhesive	m/spool
1/8	3.2	3.2	1.0	0.90±0.30	0.35±0.20	200
3/16	4.8	4.8	1.6	1.05±0.30	0.40±0.20	100
1/4	6.4	6.4	2.20	1.25±0.30	0.45±0.20	100
5/16	7.9	7.9	2.70	1.30±0.30	0.45±0.20	100
3/8	9.5	9.5	3.20	1.45±0.30	0.50±0.20	50
1/2	12.7	12.7	4.20	1.65±0.30	0.50±0.20	1.22
5/8	15.0	15.0	5.20	1.80±0.30	0.55±0.30	1.22
3/4	19.1	19.1	6.30	1.95±0.30	0.60±0.30	1.22
1	25.4	25.4	8.50	2.00±0.40	0.60±0.30	1.22
1- 1/4	30.0	30.0	10.20	2.15±0.40	0.65±0.30	1.22
1- 1/2	39.0	39.0	13.50	2.45±0.40	0.75±0.30	1.22
2	50.0	50.0	17.00	2.75±0.40	0.80±0.30	1.22
5/2	64	64	21.00	3.05±0.40	1.05±0.30	1.22
3	75	75	25.00	3.05±0.50	1.05±0.40	1.22
7/2	90	90	30.00	3.10±0.50	1.05±0.40	1.22
4	100	100	34.00	3.10±0.50	1.10±0.40	1.22
5	125	125	42.00	3.15±0.50	1.10±0.40	1.22

Product Code Table

Description.	Product Code
Heatshrink Tubing (Adhesive Lined) 3:1 Black 3.2mm 10m	HS114
Heatshrink Tubing (Adhesive Lined) 3:1 Black 3.2mm 1.20m	HS1141.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Clear 3.2mm 10m	HS114CLR

Heatshrink Tubing (Adhesive Lined) 3:1 Clear 3.2mm 1.2m	HS114CLR1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Blue 3.2mm 10m	HS114BLU
Heatshrink Tubing (Adhesive Lined) 3:1 Blue 3.2mm 1.20m	HS114BUL1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Red 3.2mm 10m	HS114RED
Heatshrink Tubing (Adhesive Lined) 3:1 Red 3.2mm 1.20m	HS114RED1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Green 3.2mm 10m	HS114GRN
Heatshrink Tubing (Adhesive Lined) 3:1 Green 3.2mm 1.20m	HS114GRN1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Yellow 3.2mm 10m	HS114YEL
Heatshrink Tubing (Adhesive Lined) 3:1 Yellow 3.2mm 1.20m	HS114YEL1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Brown 3.2mm 10m	HS114BRN
Heatshrink Tubing (Adhesive Lined) 3:1 Brown 3.2mm 1.20m	HS114BRN1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Grey 3.2mm 10m	HS114GRY
Heatshrink Tubing (Adhesive Lined) 3:1 Grey 3.2mm 1.20m	HS114GRY1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 White 3.2mm 10m	HS114WHT
Heatshrink Tubing (Adhesive Lined) 3:1 White 3.2mm 1.20m	HS114WHT1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Black 4.8mm 10m	HS115
Heatshrink Tubing (Adhesive Lined) 3:1 Black 4.8mm 1.20m	HS1151.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Clear 4.8mm 10m	HS115CLR
Heatshrink Tubing (Adhesive Lined) 3:1 Clear 4.8mm 1.2m	HS115CLR1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Blue 4.8mm 10m	HS115BLU
Heatshrink Tubing (Adhesive Lined) 3:1 Blue 4.8mm 1.20m	HS115BUL1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Red 4.8mm 10m	HS115RED
Heatshrink Tubing (Adhesive Lined) 3:1 Red 4.8mm 1.20m	HS115RED1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Green 4.8mm 10m	HS115GRN
Heatshrink Tubing (Adhesive Lined) 3:1 Green 4.8mm 1.20m	HS115GRN1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Yellow 4.8mm 10m	HS115YEL
Heatshrink Tubing (Adhesive Lined) 3:1 Yellow 4.8mm 1.20m	HS115YEL1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Brown 4.8mm 10m	HS115BRN
Heatshrink Tubing (Adhesive Lined) 3:1 Brown 4.8mm 1.20m	HS115BRN1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Grey 4.8mm 10m	HS115GRY
Heatshrink Tubing (Adhesive Lined) 3:1 Grey 4.8mm 1.20m	HS115GRY1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 White 4.8mm 10m	HS115WHT
Heatshrink Tubing (Adhesive Lined) 3:1 White 4.8mm 1.20m	HS115WHT1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Black 6.4mm 10m	HS116
Heatshrink Tubing (Adhesive Lined) 3:1 Black 6.4mm 1.20m	HS1161.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Clear 6.4mm 10m	HS116CLR
Heatshrink Tubing (Adhesive Lined) 3:1 Clear 6.4mm 1.2m	HS116CLR1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Blue 6.4mm 10m	HS116BLU
Heatshrink Tubing (Adhesive Lined) 3:1 Blue 6.4mm 1.20m	HS116BUL1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Red 6.4mm 10m	HS116RED
Heatshrink Tubing (Adhesive Lined) 3:1 Red 6.4mm 1.20m	HS116RED1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Green 6.4mm 10m	HS116GRN
Heatshrink Tubing (Adhesive Lined) 3:1 Green 6.4mm 1.20m	HS116GRN1.2M

Heatshrink Tubing (Adhesive Lined) 3:1 Yellow 6.4mm 10m	HS116YEL
Heatshrink Tubing (Adhesive Lined) 3:1 Yellow 6.4mm 1.20m	HS116YEL1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Brown 6.4mm 10m	HS116BRN
Heatshrink Tubing (Adhesive Lined) 3:1 Brown 6.4mm 1.20m	HS116BRN1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Grey 6.4mm 10m	HS116GRY
Heatshrink Tubing (Adhesive Lined) 3:1 Grey 6.4mm 1.20m	HS116GRY1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 White 6.4mm 10m	HS116WHT
Heatshrink Tubing (Adhesive Lined) 3:1 White 6.4mm 1.20m	HS116WHT1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Black 7.9mm 10m	HS117
Heatshrink Tubing (Adhesive Lined) 3:1 Black 7.9mm 1.20m	HS1171.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Clear 7.9mm 10m	HS117CLR
Heatshrink Tubing (Adhesive Lined) 3:1 Clear 7.9mm 1.2m	HS117CLR1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Blue 7.9mm 10m	HS117BLU
Heatshrink Tubing (Adhesive Lined) 3:1 Blue 7.9mm 1.20m	HS117BUL1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Red 7.9mm 10m	HS117RED
Heatshrink Tubing (Adhesive Lined) 3:1 Red 7.9mm 1.20m	HS117RED1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Green 7.9mm 10m	HS117GRN
Heatshrink Tubing (Adhesive Lined) 3:1 Green 7.9mm 1.20m	HS117GRN1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Yellow 7.9mm 10m	HS117YEL
Heatshrink Tubing (Adhesive Lined) 3:1 Yellow 7.9mm 1.20m	HS117YEL1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Brown 7.9mm 10m	HS117BRN
Heatshrink Tubing (Adhesive Lined) 3:1 Brown 7.9mm 1.20m	HS117BRN1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Grey 7.9mm 10m	HS117GRY
Heatshrink Tubing (Adhesive Lined) 3:1 Grey 7.9mm 1.20m	HS117GRY1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 White 7.9mm 10m	HS117WHT
Heatshrink Tubing (Adhesive Lined) 3:1 White 7.9mm 1.20m	HS117WHT1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Black 9.5mm 10m	HS118
Heatshrink Tubing (Adhesive Lined) 3:1 Black 9.5mm 1.20m	HS1181.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Clear 9.5mm 10m	HS118CLR
Heatshrink Tubing (Adhesive Lined) 3:1 Clear 9.5mm 1.2m	HS118CLR1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Blue 9.5mm 10m	HS118BLU
Heatshrink Tubing (Adhesive Lined) 3:1 Blue 9.5mm 1.20m	HS118BUL1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Red 9.5mm 10m	HS118RED
Heatshrink Tubing (Adhesive Lined) 3:1 Red 9.5mm 1.20m	HS118RED1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Green 9.5mm 10m	HS118GRN
Heatshrink Tubing (Adhesive Lined) 3:1 Green 9.5mm 1.20m	HS118GRN1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Yellow 9.5mm 10m	HS118YEL
Heatshrink Tubing (Adhesive Lined) 3:1 Yellow 9.5mm 1.20m	HS118YEL1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Brown 9.5mm 10m	HS118BRN
Heatshrink Tubing (Adhesive Lined) 3:1 Brown 9.5mm 1.20m	HS118BRN1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Grey 9.5mm 10m	HS118GRY
Heatshrink Tubing (Adhesive Lined) 3:1 Grey 9.5mm 1.20m	HS118GRY1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 White 9.5mm 10m	HS118WHT

Heatshrink Tubing (Adhesive Lined) 3:1 White 9.5mm 1.20m	HS118WHT1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Black 12.7mm 10m	HS119
Heatshrink Tubing (Adhesive Lined) 3:1 Black 12.7mm 1.20m	HS1191.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Clear 12.7mm 10m	HS119CLR
Heatshrink Tubing (Adhesive Lined) 3:1 Clear 12.7mm 1.2m	HS119CLR1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Blue 12.7mm 10m	HS119BLU
Heatshrink Tubing (Adhesive Lined) 3:1 Blue 12.7mm 1.20m	HS119BUL1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Red 12.7mm 10m	HS119RED
Heatshrink Tubing (Adhesive Lined) 3:1 Red 12.7mm 1.20m	HS119RED1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Green 12.7mm 10m	HS119GRN
Heatshrink Tubing (Adhesive Lined) 3:1 Green 12.7mm 1.20m	HS119GRN1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Yellow 12.7mm 10m	HS119YEL
Heatshrink Tubing (Adhesive Lined) 3:1 Yellow 12.7mm 1.20m	HS119YEL1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Brown 12.7mm 10m	HS119BRN
Heatshrink Tubing (Adhesive Lined) 3:1 Brown 12.7mm 1.20m	HS119BRN1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Grey 12.7mm 10m	HS119GRY
Heatshrink Tubing (Adhesive Lined) 3:1 Grey 12.7mm 1.20m	HS119GRY1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 White 12.7mm 10m	HS119WHT
Heatshrink Tubing (Adhesive Lined) 3:1 White 12.7mm 1.20m	HS119WHT1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Black 15mm 10m	HS120
Heatshrink Tubing (Adhesive Lined) 3:1 Black 15mm 1.20m	HS1201.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Clear 15mm 10m	HS120CLR
Heatshrink Tubing (Adhesive Lined) 3:1 Clear 15mm 1.2m	HS120CLR1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Blue 15mm 10m	HS120BLU
Heatshrink Tubing (Adhesive Lined) 3:1 Blue 15mm 1.20m	HS120BUL1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Red 15mm 10m	HS120RED
Heatshrink Tubing (Adhesive Lined) 3:1 Red 15mm 1.20m	HS120RED1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Green 15mm 10m	HS120GRN
Heatshrink Tubing (Adhesive Lined) 3:1 Green 15mm 1.20m	HS120GRN1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Yellow 15mm 10m	HS120YEL
Heatshrink Tubing (Adhesive Lined) 3:1 Yellow 15mm 1.20m	HS120YEL1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Brown 15mm 10m	HS120BRN
Heatshrink Tubing (Adhesive Lined) 3:1 Brown 15mm 1.20m	HS120BRN1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Grey 15mm 10m	HS120GRY
Heatshrink Tubing (Adhesive Lined) 3:1 Grey 15mm 1.20m	HS120GRY1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 White 15mm 10m	HS120WHT
Heatshrink Tubing (Adhesive Lined) 3:1 White 15mm 1.20m	HS120WHT1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Black 19.1mm 10m	HS121
Heatshrink Tubing (Adhesive Lined) 3:1 Black 19.1mm 1.20m	HS1211.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Clear 19.1mm 10m	HS121CLR
Heatshrink Tubing (Adhesive Lined) 3:1 Clear 19.1mm 1.2m	HS121CLR1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Blue 19.1mm 10m	HS121BLU
Heatshrink Tubing (Adhesive Lined) 3:1 Blue 19.1mm 1.20m	HS121BUL1.2M

Heatshrink Tubing (Adhesive Lined) 3:1 Red 19.1mm 10m	HS121RED
Heatshrink Tubing (Adhesive Lined) 3:1 Red 19.1mm 1.20m	HS121RED1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Green 19.1mm 10m	HS121GRN
Heatshrink Tubing (Adhesive Lined) 3:1 Green 19.1mm 1.20m	HS121GRN1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Yellow 19.1mm 10m	HS121YEL
Heatshrink Tubing (Adhesive Lined) 3:1 Yellow 19.1mm 1.20m	HS121YEL1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Brown 19.1mm 10m	HS121BRN
Heatshrink Tubing (Adhesive Lined) 3:1 Brown 19.1mm 1.20m	HS121BRN1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Grey 19.1mm 10m	HS121GRY
Heatshrink Tubing (Adhesive Lined) 3:1 Grey 19.1mm 1.20m	HS121GRY1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 White 19.1mm 10m	HS121WHT
Heatshrink Tubing (Adhesive Lined) 3:1 White 19.1mm 1.20m	HS121WHT1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Black 25.4mm 10m	HS122
Heatshrink Tubing (Adhesive Lined) 3:1 Black 25.4mm 1.20m	HS1221.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Clear 25.4mm 10m	HS122CLR
Heatshrink Tubing (Adhesive Lined) 3:1 Clear 25.4mm 1.2m	HS122CLR1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Blue 25.4mm 10m	HS122BLU
Heatshrink Tubing (Adhesive Lined) 3:1 Blue 25.4mm 1.20m	HS122BUL1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Red 25.4mm 10m	HS122RED
Heatshrink Tubing (Adhesive Lined) 3:1 Red 25.4mm 1.20m	HS122RED1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Green 25.4mm 10m	HS122GRN
Heatshrink Tubing (Adhesive Lined) 3:1 Green 25.4mm 1.20m	HS122GRN1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Yellow 25.4mm 10m	HS122YEL
Heatshrink Tubing (Adhesive Lined) 3:1 Yellow 25.4mm 1.20m	HS122YEL1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Brown 25.4mm 10m	HS122BRN
Heatshrink Tubing (Adhesive Lined) 3:1 Brown 25.4mm 1.20m	HS122BRN1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Grey 25.4mm 10m	HS122GRY
Heatshrink Tubing (Adhesive Lined) 3:1 Grey 25.4mm 1.20m	HS122GRY1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 White 25.4mm 10m	HS122WHT
Heatshrink Tubing (Adhesive Lined) 3:1 White 25.4mm 1.20m	HS122WHT1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Black 30.0mm 10m	HS123
Heatshrink Tubing (Adhesive Lined) 3:1 Black 30.0mm 1.20m	HS1231.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Clear 30.0mm 10m	HS123CLR
Heatshrink Tubing (Adhesive Lined) 3:1 Clear 30.0mm 1.2m	HS123CLR1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Blue 30.0mm 10m	HS123BLU
Heatshrink Tubing (Adhesive Lined) 3:1 Blue 30.0mm 1.20m	HS123BUL1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Red 30.0mm 10m	HS123RED
Heatshrink Tubing (Adhesive Lined) 3:1 Red 30.0mm 1.20m	HS123RED1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Green 30.0mm 10m	HS123GRN
Heatshrink Tubing (Adhesive Lined) 3:1 Green 30.0mm 1.20m	HS123GRN1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Yellow 30.0mm 10m	HS123YEL
Heatshrink Tubing (Adhesive Lined) 3:1 Yellow 30.0mm 1.20m	HS123YEL1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Brown 30.0mm 10m	HS123BRN

Heatshrink Tubing (Adhesive Lined) 3:1 Brown 30.0mm 1.20m	HS123BRN1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Grey 30.0mm 10m	HS123GRY
Heatshrink Tubing (Adhesive Lined) 3:1 Grey 30.0mm 1.20m	HS123GRY1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 White 30.0mm 10m	HS123WHT
Heatshrink Tubing (Adhesive Lined) 3:1 White 30.0mm 1.20m	HS123WHT1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Black 39.0mm 10m	HS124
Heatshrink Tubing (Adhesive Lined) 3:1 Black 39.0mm 1.20m	HS1241.2M
Heatshrink Tubing (Adhesive Lined) 3:1 CLear 39.0mm 10m	HS124CLR
Heatshrink Tubing (Adhesive Lined) 3:1 Clear 39.0mm 1.20m	HS124CLR1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Blue 39.0mm 10m	HS124BLU
Heatshrink Tubing (Adhesive Lined) 3:1 Blue 39.0mm 1.20m	HS124BUL1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Red 39.0mm 10m	HS124RED
Heatshrink Tubing (Adhesive Lined) 3:1 Red 39.0mm 1.20m	HS124RED1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Green 39.0mm 10m	HS124GRN
Heatshrink Tubing (Adhesive Lined) 3:1 Green 39.0mm 1.20m	HS124GRN1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Yellow 39.0mm 10m	HS124YEL
Heatshrink Tubing (Adhesive Lined) 3:1 Yellow 39.0mm 1.20m	HS124YEL1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Brown 39.0mm 10m	HS124BRN
Heatshrink Tubing (Adhesive Lined) 3:1 Brown 39.0mm 1.20m	HS124BRN1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Grey 39.0mm 10m	HS124GRY
Heatshrink Tubing (Adhesive Lined) 3:1 Grey 39.0mm 1.20m	HS124GRY1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 White 39.0mm 10m	HS124WHT
Heatshrink Tubing (Adhesive Lined) 3:1 White 39.0mm 1.20m	HS124WHT1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Black 50.0mm 10m	HS125
Heatshrink Tubing (Adhesive Lined) 3:1 Black 50.0mm 1.20m	HS1251.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Clear 50.0mm 10m	HS125CLR
Heatshrink Tubing (Adhesive Lined) 3:1 Clear 50.0mm 1.20m	HS125CLR1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Blue 50.0mm 10m	HS125BLU
Heatshrink Tubing (Adhesive Lined) 3:1 Blue 50.0mm 1.20m	HS125BUL1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Red 50.0mm 10m	HS125RED
Heatshrink Tubing (Adhesive Lined) 3:1 Red 50.0mm 1.20m	HS125RED1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Green 50.0mm 10m	HS125GRN
Heatshrink Tubing (Adhesive Lined) 3:1 Green 50.0mm 1.20m	HS125GRN1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Yellow 50.0mm 10m	HS125YEL
Heatshrink Tubing (Adhesive Lined) 3:1 Yellow 50.0mm 1.20m	HS125YEL1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Brown 50.0mm 10m	HS125BRN
Heatshrink Tubing (Adhesive Lined) 3:1 Brown 50.0mm 1.20m	HS125BRN1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 Grey 50.0mm 10m	HS125GRY
Heatshrink Tubing (Adhesive Lined) 3:1 Grey 50.0mm 1.20m	HS125GRY1.2M
Heatshrink Tubing (Adhesive Lined) 3:1 White 50.0mm 10m	HS125WHT
Heatshrink Tubing (Adhesive Lined) 3:1 White 50.0mm 1.20m	HS125WHT1.2M